

Cleanliness is next to godliness.

 **ASKO**

BUILT TO LAST LONGER

Welcome to heaven.



The soul of ASKO.

In 1950, an enterprising young Swedish farmer named Karl-Erik Andersson set out to build his mother a better washer. A unique energy- and water-efficient machine that would reflect a farmer's love and respect for nature. A machine with superior cleaning power and reliability that could heat water, spin and even boast a durable, state-of-the-art stainless steel drum. And so the young farmer built his amazing washer. The results were so extraordinary, he was convinced to share his creation with others. So he built a world-class engineering and manufacturing facility right on the family farm — where it stands to this day — and a new company was born. The company we now call ASKO.

Today, ASKO is an international corporation with a complete line of high-performance washers, dryers and dishwashers. ASKO appliances do a better job of cleaning with a fraction of the water, electricity and detergent of ordinary machines. Every component is constructed of steel rather than plastic wherever possible. And every ASKO product is still built with Scandinavian quality and environmental sensitivity — just as Karl-Erik Andersson wanted. In short, ASKO appliances are some of the best-performing, most ecology-friendly on earth. And for that, we can all count our blessings.

 **ASKO**

BUILT TO LAST LONGER

A Laundry Care System You Can Put Your Faith In.

The innovative ASKO front-loading washers and dryers are designed as a true Laundry Care System. Together they clean and dry noticeably better. Remove more stains. Use far less water and energy. And last longer. Our washers and dryers pamper clothes in stainless steel tanks that never snag or rust. And do it all in less space than other leading systems. What's more, the ASKO Laundry Care System can save you more than \$300 per year in water, electricity, detergent and bleach compared to a traditional laundry pair. And if that's not heaven on earth, we don't know what is.



Better cleaning and drying.

ASKO starts with a cold water pre-wash that removes stains hot water pre-washes set (like those in domestically-made front- and top-loaders). Unlike top-loaders, which attempt to clean by rubbing clothes against each other, ASKO washers lift and drop laundry hundreds of times in and out of clean, hot water to remove more soil.

Yet despite its superior cleaning, ASKO needs only one-third the detergent of ordinary washers. And with up to seven rinses — versus other washers' one or two — ASKO virtually eliminates any trace of graying, itchy, odor-causing residue.

ASKO is as easy to operate as 1-2-3. Our EasyControl™ panel gives you four preset functions at the touch of a button: white items, colored items, a Super Quick Wash program that lets you do a whole load in just 34 minutes, and a wool/hand-wash program. Need a special temperature, spin speed, or number of rinses? No problem. EasyControl can be adjusted for virtually any laundry care need.

And here's another miracle: while ordinary washers get their water from a hot water tank (typically set at 120° F), ASKO connects only to your cold water line and uses an internal heater that can reach temperatures as high as 205° F. Giving you better cleaning, eliminating the need for bleach and leaving you plenty of hot water for a relaxing bubble bath while we do your laundry.

Finally, ASKO washers spin clothes at speeds as high as 1,600 rpm — about twice as fast as top-loaders and most front-loaders — so they can extract at least 40% more water than these other machines. ASKO microprocessor-controlled dryers use precise heat and humidity sensors to prevent overdrying and reduce wrinkles. And our exclusive Butterfly Drying™ System tumbles clothes in a non-stop figure eight to ensure even temperature distribution with less strain on the motor and less creasing on clothes — a feature that can cut your ironing time substantially.

Longer lasting.

The ASKO Laundry Care System is built to last. Each component is designed to perform for 20 years — tanks for a lifetime.

What makes ASKO so durable? Unlike ordinary machines with porcelain-on-steel or plastic tanks, ASKO uses stainless steel inner and outer drums that are impervious to chipping, rusting or staining. (They'll also extend the life of your clothes because the forever-smooth surfaces won't snag or tear fabrics.) What's more, our washers' and dryers' drums are mounted on two heavy-duty, sealed SKF® ball bearings. The counterweights in our washers are made of cast iron, not concrete. Our water inlet hose is made of Pex — a miraculous material made to last 95 years. And the unique anti-jam pump on our washers can actually reverse and clear itself, often eliminating the need for a service call.

You won't have a problem with leaks, either. The inner door of the ASKO washer seals to the tank with our SmartSeal™ gasket and moves with the tank. Other front-loaders still use a bellows seal because they must seal a door in a stationary cabinet to an opening in a moving tank. Eventually, the bellows' folds trap detergent and soil, deteriorate and leak. Replacement is a major repair.

And here's another ASKO difference. Our exclusive Quattro™ suspension and Automatic Load Balancing System ensure smooth, virtually vibration-free spinning, so your machine never “walks.”

Best of all, ASKO stands behind every washer and dryer we make. Because, while most manufacturers test only a small portion of their machines, we test every single one — and every single program — before it leaves the factory. The way we see it, anything less would be a sin.

Quattro™ suspension



Galvanized base pan



Four shock-absorbing legs




Stainless steel inner & outer tanks



Solid rubber SmartSeal™ door gasket




Heavy-duty steel cabinet



*Based on overall stain removal effectiveness in tests conducted according to European Standard EN 60456/A12.

With just four buttons, the EasyControl™ system provides one-touch command of the four most popular programs — and can communicate in 11 languages.







Made to fit anywhere: stacked snugly in a closet or side-by-side under a counter in a utility room, kitchen, or any room in your home.


At 205°F, ASKO can heat water nearly twice as hot for superior cleaning.

Few washers have internal heaters, so they rely on 120°F water from a hot water tank.



Tumble action lifts and drops laundry in and out of hot, clean water and detergent hundreds of times.

Space-saving exterior, but can hold as much as most top-loaders.



Space saving.

Although ASKO washers and dryers are smaller on the outside than conventional machines, they still handle big loads — up to 14 towels. And since ASKO washers have no space-stealing central agitator, they'll even hold queen-size comforters and most king-size blankets and bedspreads that choke top-loaders.

Moreover, our smaller cabinet size makes for easy installation in more convenient locations: under counters in kitchens, great rooms, dens — even children's playrooms. Dryer doors can be hung from left or right. And ASKO's modern styling complements any decor.

Unlike top-loading systems, ASKO units are also stackable. And clever engineering means no electrical modifications to your home. Simply plug the dryer into a standard 220 volt, 30 amp circuit, then plug the washer into the back of the dryer. Together they use so little electricity, both will run on the same circuit as your old electric dryer. We even have dryers that have a moisture condenser and collector and need no external vent, so you can install the pair in an upstairs closet or under a stairwell — just about anywhere it's convenient.

Earth loving.

Since its birth in the land of pristine lakes and immaculate farms, ASKO has represented the finest in Scandinavian quality and environmental sensitivity.

ASKO washers use as little as 5.7 gallons of water per load (versus 44 for most top-loaders, 28 for domestic front-loaders), saving you as much as 16,000 gallons per year. Our washers feature the Sensor Level Control™ System, a unique device that automatically adjusts the water level according to the absorption rate of the clothing, saving about 20% per load. ASKO also uses 75% less electricity than top-loaders and up to 40% less than domestic front-loaders for a normal washload. (Choose Super Quick Wash and the savings are even greater.) And ASKO cleans so efficiently, you need only one-third the detergent and no bleach.

In short, the ASKO Laundry Care System is among the best-performing, most energy-efficient in the world today.



An ASKO can use as little as 5.7 gallons of water per load and still clean better. An old-style agitator washer typically uses 44 gallons.



TECHNICAL SPECIFICATIONS

WASHER FEATURES & SPECS

	W600	W620	W640	W660
Minimum Water Consumption (Gallons)	5.7	5.7	5.7	5.7
Stainless Steel Inner And Outer Tank	•	•	•	•
Automatic Load Balancing System	•	•	•	•
Solid Rubber SmartSeal™ Door Gasket	•	•	•	•
Spin Speeds	800/1000	600-1200	600-1400	600-1600
No-Spin Option	•	•	•	•
Quattro™ Suspension	•	•	•	•
EasyControl™ System	•	•	•	•
Electro-Mechanical Controls	•	•	•	•
Infinitely Adjustable Programs	•	•	•	•
Program Interrupt, Add An Item	•	•	•	•
Sensor Level Control™ System	•	•	•	•
Internal Water Heater	•	•	•	•
Delay Start	•	5 Hours	1-12 Hours	1-12 Hours
Super Quick Wash Program	•	•	•	•
Wash Temperature Options	Cold, 85-205	Cold, 85-205	Cold, 85-205	Cold, 85-205
Energy Saver Program	•	•	•	•
Super Rinse Program	•	•	•	•
Enzyme Step Enhancer Program	•	•	•	•
Over-Sudsing (Foam) Control	•	•	•	•
Childproof Controls And Detergent Compartment	•	•	•	•
Electronic Door Latch	•	•	•	•
Finger Guard Between Inner And Outer Cases	•	•	•	•
Easy-To-Reach, Out-Front Controls	•	•	•	•
Complies With ADA Accessibility Guidelines	•	•	•	•
Protected By Dual, Internal Fuses	•	•	•	•
220 V, 20 Amp Cord And Plug Included	•	•	•	•
Six-Way, Aqua Block Water Containment System	•	•	•	Seven-Way
Drop-Down Outer Door	•	•	•	•
Every Unit Tested 2-1/2+ Hours At Factory	•	•	•	•
Available Colors (White Or Stainless Steel)	W	W	W	W & SS
W A S H E R D I M E N S I O N S				
Height	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"
Width	23-7/16"	23-7/16"	23-7/16"	23-7/16"
Depth With Door Open	36"	42-17/32"	36"	42-17/32"
Depth With Door Closed	24-7/16"	24-7/16"	23-7/16"	23-7/16"

DRYER FEATURES & SPECS

	T700	T720	T760	T780
Stainless Steel Drum	•	•	•	•
Butterfly Drying™ System	•	•	•	•
Stacking Kit Included	•	•	•	•
Internal Moisture Condenser/Collector	•	•	•	•
End-Of-Cycle Tone	•	•	•	•
Cool Down	•	•	•	•
EasyControl™ System	•	•	•	•
Multiple Language Programs	•	•	•	•
Electro-Mechanical Controls	•	•	•	•
Drying Temperatures	Air, Low & Normal	Air, Low & Normal	Air, Low & Normal	Air, Low & Normal
SensiDry™	•	•	•	•
Number Of Programs	4	2	6	6
Timed Dry Program (5 - 90 minutes)	•	•	•	•
Air (Fluff) Drying Program	•	•	•	•
Anti-Crease Program	•	•	•	•
Double Lint Filter	•	•	•	•
Cleanable Fan	•	•	•	•
Five-Way Water Containment System	•	•	•	•
Protected By Dual, Internal Fuses	•	•	•	•
Includes 220 V, 20 Amp Receptacle For ASKO Washer	•	•	•	•
Childproof Controls	•	•	•	•
Every Unit Tested 2-1/2+ Hours At Factory	•	•	•	•
Available Colors (White Or Stainless Steel)	W	W	W & SS	W & SS
D R Y E R D I M E N S I O N S				
Height	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"	33-1/2 - 34-1/2"
Width	23-7/16"	23-7/16"	23-7/16"	23-7/16"
Depth With Door Open	46-1/16"	46-1/16"	46-1/16"	46-1/16"
Depth With Door Closed	24-7/16"	24-7/16"	23-7/16"	23-7/16"

EasyControl Washers

The most sophisticated yet easiest-to-use washers made. The W660 is also available in stainless steel (see front cover). The W660 comes with a drop-down door.



Washers



Dryers

EasyControl Dryers


Work with the ASKO washers to pamper your clothes from start to finish. The T760 and T780 are also available in stainless steel (see front cover). T780 also has an internal moisture condenser.



W640



W660



T760



T780

Conventional Control Washers

For those who want more traditional dial controls. The W620 comes with a drop-down door.



W600



T700

Conventional Control Dryers

Perfect mates for ASKO conventional dial washers. Available with automatic and/or timed drying. W720 comes with an internal moisture condenser.



W620




T720




W600



W620



T700



T720


Washer

- 1** EasyControl makes ASKO as easy as 1-2-3.
- 2** Stainless steel inner and outer tanks never rust, stain or absorb odors.
- 3** Exclusive SmartSeal™ door gasket eliminates leaks.
- 4** Sensor Level Control™ saves water by automatically adjusting water level for optimal cleaning.
- 5** Internal heater achieves ideal water temperature.
- 6** Anti-jam, auto-reversing pump reduces clogs and service calls.
- 7** Seven-Way Aqua Block System reduces leaks.
- 8** Two heavy-duty SKF® bearings last up to twice as long.
- 9** Quattro™ suspension ensures smooth spinning.



Dryer

- 1** Completes fabric care started by the ASKO washer.
- 2** Stainless steel drum never rusts, chips or stains. Eliminates snags.
- 3** Butterfly Drying™ System reduces wrinkles and motor wear.
- 4** Heat and humidity sensors prevent overdrying and reduce wrinkles.
- 5** Three heavy-duty ball bearings provide years of smooth, quiet tumbling.
- 6** Reversible door can open from left or right.
- 7** Large, double lint filter covers entire door.
- 8** Units with optional internal moisture condenser can be installed almost anywhere.



A Dishwasher That's Simply Divine.

If heaven had a dishwasher, this would be it.

Like our Laundry Care Systems, ASKO dishwashers clean and dry better. Use less water and energy. And last longer. Our dishwashers are also quieter and have more programming options than domestic models. And they hold 20% more than most — which means fewer loads and greater water and electricity savings for you. What's more, ASKO offers the widest styling selection on the market. And, just as with our Laundry Care Systems, parts and service are available nationwide. No wonder ASKO is hailed around the world as the leader in innovation and quality. Nobody else even has a prayer.



Cleaner, drier dishes.

The ASKO Super Cleaning System™ gives you noticeably cleaner dishes with no hand-rinsing.

First, the pre-wash removes most of the soil and drains it from the machine. Then the main wash begins with fresh, hot water and removes the remaining soil. Our triple filtration system refreshes water continuously — and completely — so dishes are never washed with dirty water. And, while most other dishwashers (especially those with built-in food disposers) use the same pump to drain and circulate water, ASKO uses a separate pump for each function so food particles aren't recirculated and redeposited on dishes. But we don't stop there.

To make sure we don't miss a single spot, our exclusive Omni-Spray System™ sprays in up to seven directions. Spray arms counter-rotate extra slowly to concentrate water and detergent on tough soil and attack it from all directions. Unlike most dishwashers, our direct-feed water tube ensures the upper spray arm has the same power as the lower. All of which cuts your detergent needs by two-thirds.

With its one-half horsepower circulation pump, ASKO is powerful enough to clean even the dirtiest pots. But it also has the programming options to handle the most delicate crystal or china.

Not only does ASKO wash better — it dries better, too. In the condensation chamber, a fan blends the hot, humid air inside with cool, dry air from outside. The condensed moisture drains into the bottom of the tank. That means only cool, dry air is vented back into your kitchen. More importantly, with the Turbo Fan™ Interval Drying System that's available on all but one of our units, you get 100% dry dishes. So they can go directly into your cabinet without towel-drying.

In short, ASKO does more of the work for you than any other dishwasher. You'll be floating on cloud nine.


Quieter wash.

Superior cleaning, however, isn't our only godsend. ASKO dishwashers are also the quietest around.

With ASKO, you'll never have to choose between washing dishes and talking on the phone or watching TV. Because, while most dishwashers mount pumps and motors directly to the tank which amplifies noise, ASKO isolates them with rubber hoses between the tank and galvanized steel base pan to reduce sound and vibration. Smooth, gently-curved pipes minimize noise from water movement. We also cover each unit with sound-deadening bitumen (like that used in luxury cars), and most models have a heavy felt pad that absorbs 10 times more noise than typical fiberglass insulation. In fact, 30% of our dishwashers' weight is sound-absorbing material. No wonder, in independent testing against five other top brands, 91% of homeowners selected an ASKO dishwasher as the quietest.



Self-cleaning triple filtration system ensures sparkling results.



Controls of several models are cleverly placed on top of the door so they tuck out of sight when the door is closed. When the door of a D1796FI or D1996FI are covered with a custom panel, the whole unit disappears.





The D1996HNDL offers a sleek, contemporary design and an exterior that's easy to clean.



Greater capacity.

ASKO dishwashers hold about 20% more than most others without taking up more room in your kitchen. How? One way is by eliminating the central water tower that dominates the inside of many dishwashers. Another is our unique Flexi-Rack™ system — a feature in most models that gives you the option of adjusting or removing racks so you can easily load large pots and pans. And because the upper basket is unusually deep, salad plates and tall iced tea glasses fit perfectly. There's even an adjustable wine goblet rack on most units that secures your crystal stemware. It's a design that accommodates 12 international place settings in a single load, while many dishwashers barely hold 10.

Beyond saving space, ASKO racks also save work. To make loading and unloading easy, an ASKO dishwasher offers unlimited options. Like upper and lower baskets that slide out completely. Some ASKO models even have our additional Safe & Handy™ upper cutlery basket for long knives and serving utensils. What's the most an ASKO dishwasher can hold? Heaven only knows.

Real accountability.

At ASKO, we've earned our wings.

For over 30 years, ASKO has been building dishwashers using only the highest quality components. Like our washers and dryers, each dishwasher is individually tested and parts and service are available nationwide.

You can count on ASKO quality and environmental accountability here, too. Each unit uses as little as 3.9 gallons of water per load — significantly less than most other dishwashers — saving over a thousand gallons annually. Indeed, we meet higher environmental standards and consume less electricity than any other full-size dishwasher on the market. So while an ASKO may cost a little more to buy, it costs much less to own. And when its long life is through, more than 80% of its parts can be recycled.

High style.

Finally, there's our looks. Fact is, ASKO dishwashers have the widest styling selection on the market, including professional, contemporary and our totally-integrated (and invisible) D1796FI and D1996FI models. Control options include your choice of knobs and buttons, visible touch or hidden touch. And ASKO comes in a wide range of designs so you can easily complement other appliances. Especially if you choose one of the many models that accept custom door panels. Or opt for one of our standards — classic white, sleek black, or today's highly popular gleaming stainless steel.

Whether you're in the market for a washer and dryer or dishwasher, you won't find a better cleaning system than ASKO. So visit an ASKO dealer soon. And see for yourself how the right cleaning system can be heaven on earth.




Unique upper basket holds large utensils and knives.




Ingeniously designed racks hold 20% more than most.



Sparkling results without hand-rinsing.



- 1** 18:8 surgical-grade stainless steel tank, spray arms and filtration system won't rust, chip or absorb odors.
- 2** One-piece, galvanized-steel base pan provides superior structural integrity and reduces vibrations. Not available on any U.S.-made unit.
- 3** Two pumps (versus one on most dishwashers) save water and electricity and last longer.
- 4** Door springs are designed to last 20 years.
- 5** No space-stealing central water tower or connectors.
- 6** Turbo Fan™ Interval Drying System ensures 100% dry dishes.
- 7** Controls are double-sealed from moisture.
- 8** Racks are coated with Rilsan™ graphite nylon. Tines are double-coated.



TECHNICAL SPECIFICATIONS

DISHWASHER FEATURES & SPECS	D1706	D1716	D1776	D1796FI	D1876	D1996SS	D1996FI	D1996HNDL	D1976	D1976CSTM
Water Usage (Gal.) – Quick Wash	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Water Usage (Gal.) – Normal Wash	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
Quiet System (Bitumen)	•	•	•	•	•	•	•	•	•	•
18:8 Stainless Steel Tank, Inner Door, Arms And Filters	•	•	•	•	•	•	•	•	•	•
Super Cleaning System	•	•	•	•	•	•	•	•	•	•
Self-Cleaning Triple Filtration System	•	•	•	•	•	•	•	•	•	•
1/2 Horsepower Circulation Pump	•	•	•	•	•	•	•	•	•	•
1/4 Horsepower Drain Pump	•	•	•	•	•	•	•	•	•	•
Anti-Jam, Auto-Reversing Pump	•	•	•	•	•	•	•	•	•	•
Turbo Fan™ Interval Drying System	•	•	•	•	•	•	•	•	•	•
One-Piece Galvanized Steel Base Pan	•	•	•	•	•	•	•	•	•	•
Rilsan™ Coated Racks	•	•	•	•	•	•	•	•	•	•
Flexi-Rack System (Adjustable)	•	•	•	•	•	•	•	•	•	•
Both Baskets Glide Completely Out Of Tank	•	•	•	•	•	•	•	•	•	•
Fan Cool									•	•
Electro-Mechanical Controls	•	•								
Electronic, Programmable Controls			•	•	•	•	•	•	•	•
Number Of Programs	7	7	4	4	5	5	5	5	8	8
Adjustable Water Levels				•	•	•	•	•	•	•
Pre-Set Water Temperatures	•	•	•	•						
Number Of Wash Temperatures	2	2	2	2	4	4	4	4	5	5
Number Of Rinse Water Temperatures	2	2	2	2	3	3	3	3	3	3
Sani-Wash 160°F Rinse					•	•	•	•	•	•
Six-Way Wash System	•	•	•	•	•					
Seven-Way Omni-Spray™ Wash System						•	•	•	•	•
Optical Rinse Aid Indicator	•	•	•	•	•	•	•	•	•	•
Rinse Aid Indicator Light						•	•	•	•	•
12+ International Place Settings Capacity	•	•	•	•	•	•	•	•	•	•
Adjustable Cup Shelf(s)	•	•	•	•	•	•	•	•	•	•
Adjustable Wine Goblet Shelf		•	•	•	•	•	•	•	•	•
Split Cup Shelf						•	•	•	•	•
Adjustable Tines In Upper Basket						•	•	•	•	•
Cutlery Basket With Small Items Compartment With Lid	•	•	•	•	•	•	•	•	•	•
Knife Guard		•	•	•	•					
Safe & Handy™ Upper Cutlery Basket						•	•	•	•	•
Removable Plate Rack In Lower Basket		•	•	•	•	•	•	•	•	•
Lower Basket Holds Thick, 12" Plates	•	•	•	•	•	•	•	•	•	•
Interior Light						•	•	•	•	•
Delay Start					•	•	•	•	•	•
Child Safety Latch	•	•	•		•				•	
Complies With ADA Accessibility Guidelines	•	•	•	•	•	•	•	•	•	•
Accepts Custom Door Panels	•	•	•	•	•	•	•	•	•	•
Optional Heavy-Duty Door Springs (22 Lbs. Cap.)	•	•	•	•	•	•	•	•	•	•
Balanced Door	•	•	•	•	•	•	•	•	•	•
Hidden Controls				•		•	•	•		
Integrated (Single Door)				•		•	•	•		•
Five-Way Aqua Block Water Containment System	•	•	•	•	•	•	•	•	•	•
Every Unit Tested 2-1/2+ Hours At Factory	•	•	•	•	•	•	•	•	•	•
Available Colors (White, Black, Stainless Steel) (Metallic Control Panel)	W/B	W/B/SS	W/B/SS	M	W/B/SS	SS	M	SS	W/B/SS	W/B
DISHWASHER DIMENSIONS										
	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"	32-1/4"
	to	to	to	to	to	to	to	to	to	to
Height	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"	34-1/4"
Width	24"	24"	24"	23-5/8"	24"	24"	23-5/8"	24"	24"	23-5/8"
				23-7/8"			23-7/8"			
				to			to			
Depth From Cabinet With Door Open	23-7/8"	23-7/8"	23-7/8"	25-7/8"	23-7/8"	23-7/8"	25-7/8"	23-7/8"	23-7/8"	23-7/8"
Depth With Door Closed	23-7/16"	23-7/16"	22-7/16"	22-7/16"	22-7/16"	22-7/16"	22-7/16"	22-7/16"	22-7/16"	22-7/16"

ASKO retains the right to vary the model specifications at any time. All facts were accurate at time of printing. Before purchasing any appliance, read energy cost and efficiency information at your retailer.


D1976CSTM

The ultimate in features and performance. Trim accessories allow for easy installation in American and European cabinets. Control panel can be customized with optional inserts. Can only be installed with an owner-supplied custom panel.



D1976

Same features and performance as the D1976CSTM, but it has a traditional two-piece door.




D1996SS, HNDL, FI

Our most contemporary models. All have hidden controls. The D1996FI can be fully integrated by installing with an owner-supplied custom panel or with optional white, black and stainless steel doors. (See D1796FI below). An optional brass handle and black and white toe kicks are also available. (FI unit shown with optional black toe kick.)




D1876

Visible touch controls and sleek design match many appliances. Features 160°F washes and rinses, like all the above units.




D1796FI

The D1796FI can also be customized like the D1996FI. Optional panels in black, white and stainless steel can be ordered. A brass handle is also available. (FI unit shown with optional black toe kick.)




D1776

Simple visible touch controls. And, like most of the units above, controls are childproof and include a time-remaining indicator.



D1716

The Turbo Fan™ Interval Drying System ensures 100% dry dishes. Knobs and buttons have today's popular professional look.



D1706

Our most economical unit, yet loaded with features that make ASKO a leader in innovation and performance.





ASKO
BUILT TO LAST LONGER

800-367-2444 P. O. Box 851805, Richardson, TX 75085-1805 www.askousa.com



All ASKO appliances are covered by one of the strongest warranties in the industry. During the first three years, everything is covered: parts and labor. During the fourth and fifth years, all electronic controls, timers, motors and pumps are covered. The stainless steel tanks in the dishwashers and the drums in the washers and dryers are covered for a lifetime of normal use. For complete details, please see the Warranty Certificate.

