Enterprise Appliances

Sun Ray 1 Enterprise Appliance

Product Specifications	Sun Ray 1
Enclosure	Slimline desktop box 180 mm H x 50 mm W x 180 mm D
Processor	SPARC IIep
Clock speed	100 MHz
Memory	8 MB
Graphics – Graphics/Resolution	24 bid, 2D accelerated Up to 1280 x 1024, and up to 76 Hz
Input/Output – Ethernet – Input Devices Composite Video	4 USB, powered 100BASE-T, 10BASE-T Type 6 USB keyboard, USB mouse, SunMicrophone II (optional), SunCamera (optional, no I/O card required) NTSC/PAL
Audio	16-bit stereo audio In/Out, microphone, headphone

Sun Ray 1 Enterprise Appliance Configuration

Sun Ray 1 enterprise appliance

A stateless zero administration "plug-and-work" device that is centrally managed by, and is dedicated to display user sessions, from a server running the Sun Ray 1 enterprise server software.

Sun Ray enterprise server software

The server-based software used to manage, administer and provide the screen display for any Sun Ray 1 enterprise appliance on the network.

Graphics Options

The Sun Ray 1 ssupports 24 bit, 2D accelerated graphics

Monitor Options

The choice of monitors is not reflected in the Sun Ray 1 marketing part number. A monitor is optional and is ordered as a separate line item. The Sun Ray 1 enterprise appliance supports the monitors listed below.

Part number	Monitor Option description	
X7126A	17-inch color monitor	
X7127A	18.1-inch TFT LCD color monitor	
X7135A	19-inch flat screen color monitor	
X7136A	21-inch flat screen color monitor	
X7124A	24-inch color monitor	

Country Kits

The Sun Ray 1 enterprise appliance is available with localized country kits. Please select appropriate part number.

OS Software

Sun Ray enterprise server software must be installed on a SPARC Solaris server running Solaris 2.6 or Solaris 7.

Sun Ray 1 Enterprise Appliance

Description	Order Number
Sun Ray 1 Enterprise Appliance with localized Coun	
Sun Ray 1 Enterprise Appliance with localized Count Sun Ray 1 enterprise appliance, North American Unix Type 6 USB Country Kit	BAE-100-40 ¹
Sun Ray 1 enterprise appliance, US/Universal/Canadian Type 6 USB Country Kit	BAE-100-01 ¹
Sun Ray 1 enterprise appliance, French Type 6 USB Country Kit	BAE-100-02 ¹
Sun Ray 1 enterprise appliance, German Type 6 USB Country Kit	BAE-100-03 ¹
Sun Ray 1 enterprise appliance, Swiss- French Type 6 USB Country Kit	BAE-100-04 ¹
Sun Ray 1 enterprise appliance, Swiss-German Type 6 USB Country Kit	BAE-100-05 ¹
Sun Ray 1 enterprise appliance, Swedish Type 6 USB Country Kit	BAE-100-06 ¹
Sun Ray 1 enterprise appliance, United Kingdom Type 6 USB Country Kit	BAE-100-07 ¹
Sun Ray 1 enterprise appliance, Taiwanese Type 6 USB Country Kit	BAE-100-44 ¹
Sun Ray 1 enterprise appliance, Korean Type 6 USB Country Kit	BAE-100-45 ¹
Sun Ray 1 enterprise appliance, United Kingdom Unix Type 6 USB Country Kit	BAE-100-47 ¹
Sun Ray 1 enterprise appliance, European Unix Type 6 USB Country Kit	BAE-100-48 ¹
Sun Ray 1 enterprise appliance, Norwegian Type 6 USB Country Kit	BAE-100-70 ¹
Sun Ray 1 enterprise appliance, Portuguese Type 6 USB Country Kit	BAE-100-71 ¹
Sun Ray 1 enterprise appliance, Spanish Type 6 USB Country Kit	BAE-100-72 ¹
Sun Ray 1 enterprise appliance, Danish Type 6 USB Country Kit	BAE-100-73 ¹
Sun Ray 1 enterprise appliance, Italian Type 6 USB Country Kit	BAE-100-74 ¹
Sun Ray 1 enterprise appliance, Dutch Type 6 USB Country Kit	BAE-100-75 ¹
Sun Ray 1 enterprise appliance, Australian Type 6 USB Country Kit	BAE-100-76 ¹
Sun Ray 1 enterprise appliance, Finnish Type 6 USB Country Kit	BAE-100-77 ¹
Sun Ray 1 enterprise appliance, European Universal Type 6 USB Country Kit	BAE-100-78 ¹
Sun Ray 1 enterprise appliance, Chinese Type 6 USB Country Kit	BAE-100-81 ¹
Sun Ray 1 enterprise appliance, European Cordless Type 6 USB Country Kit	BAE-100-83 ¹
Sun Ray 1 enterprise appliance, No included Type 6 USB Country Kit	BAE-100-00 ¹

Footnote

1. Standard Configurations are Sun's recommended configurations.

Sun Ray Enterprise Server Software 1.1

Description	Order Number
Sun Ray Enterprise Server Software 1.1	
Sun Ray Enterprise Server Software 1.1, for single CPU systems. Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 40 bit encryption. Requires Solaris 2.6 or Solaris 7	CECMS-110AI99M
Sun Ray Enterprise Server Software 1.1, for single CPU systems. Administration software and documentation localized in English, French, , Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 128 bit encryption. Requires Solaris 2.6 or Solaris 7	CECMS-110CI99M
Sun Ray Enterprise Server Software 1.1, for Workgroup servers (UE2, E250, E450). Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session management services for Sun Ray 1 Enterprise Appliance desktop units. 40 bit encryption.	CECMS-110AW99M
Sun Ray Enterprise Server Software 1.1, for Workgroup servers (UE2, E250, E450). Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 128 bit encryption.	CECMS-110CW99M
Sun Ray Enterprise Server Software 1.1, for Enterprise servers (E3500, 4500, 5500, 6500). Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 40 bit encryption.	CECMS-110AE99M
Sun Ray Enterprise Server Software 1.1, for Enterprise servers (E3500, 4500, 5500, 6500). Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 128 bit encryption.	CECMS-110CE99M

Sun Ray Enterprise Server Software 1.1 (continued)

Description Order Number

Sun Ray Enterprise Server Software 1.1

Sun Ray Enterprise Server Software 1.1, for E10000 systems. Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 40 bit encryption. Requires Solaris 2.6 or Solaris 7

Sun Ray Enterprise Server Software 1.1, for E10000 systems. Administration software and documentation localized in English, French, Korean, Simplified Chinese, and Traditional Chinese. Provides authentication and session managment services for Sun Ray 1 Enterprise Appliance desktop units. 128 bit encryption. Requires Solaris 2.6 or Solaris 7

CECMS-110AS99M

CECMS-110CS99M